

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS PO Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/552,719	10/11/2005	Akiko Sasaki	ASAIN0168	6812	
113 GRIFFIN BUT	7590 03/18/200 TLER WHISENHUNT	EXAM	EXAMINER		
SUITE PH-1 2300 NINTH STREET SOUTH ARLINGTON, VA 222042396			MILLER, MICHAEL G		
			ART UNIT	PAPER NUMBER	
1143111011011, 111222012200		1792			
			MAIL DATE	DELIVERY MODE	
			03/18/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/552,719 SASAKI ET AL.

Office Action Summary		Examiner	Art Unit			
		MICHAEL G. MILLER	1792			
Period fe	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence ac	ldress		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MALLING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 3 CF8 th 13(9). In no event, however, may a reply be timely fixed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the measurem statutory period will apply and will expire SIX (6) MONTHS from the making date of this communication. Failure to reply within the set or extended period for reply will by statutar, cause the application to become ARMACOLOGY CSI U.S. (5) 133.) Failure to reply within the set or extended period for reply will be provided by the statutary of the provided and the statut of the provided and the provided and the provided and the provided and the statut of the provided and the						
Status						
1)🖂	Responsive to communication(s) filed on					
		action is non-final.				
		nce except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□ 6)⊠ 7)□	☐ Claim(s) 1-6 is/are pending in the application. ☐ Claim(s) is/are allowed. ☐ Claim(s) is/are allowed. ☐ Claim(s) is/are objected to. ☐ Claim(s) are subject to restriction and/or election requirement.					
Applicat	ion Papers					
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) cocepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority	under 35 U.S.C. § 119					
12) ⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ⊠ All b) □ Some * c) □ None of: 1. ☑ Certified copies of the priority documents have been received. 2. □ Certified copies of the priority documents have been received in Application No 3. □ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
Attachmer	nt(s)					
1) Notice	ce of References Cited (PTO-892)	4) Interview Summary				

l		
ı	Attachment(s)	
l	Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary (PTO-413) Paper No(s)/Mail Date 5) Notice of Informal Patent Application
ľ	Information Disclosure Statement(s) (PTO/SE/08) Paper No(s)/Mail Date	6) Other:

Art Unit: 1792

DETAILED ACTION

Claim Rejections - 35 USC § 103

 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

- 2) The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - Resolving the level of ordinary skill in the pertinent art.
 - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 3) This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- Claims 1-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sangeeta et al (U.S. Patent 6,485,780, hereinafter '780) in view of Milaniak et al

Art Unit: 1792

(U.S. Patent 5,366,765, hereinafter '765) and Pfaendtner et al (U.S. Patent 6,497,920, hereinafter '920).

- 5) With regard to Claim 1, '780 teaches a method for local application of diffusion aluminide coating on areas of a metal component to be exposed to a high temperature gas, comprising:
 - a) A component preparation step of exposing local areas (damaged areas of an
 existing coating) of a base material of a metal component to be coated, and
 roughening a surface of the base material to a desired surface roughness ('780
 Column 9 Lines 44-47; the grit-blasting will both remove the coating and roughen
 the surface);
 - b) A slurry preparation step of preparing a coating slurry (Column 9 Lines 47-54);
 - An applying/drying step of applying the coating slurry to the local areas of the metal component, and then drying the local areas (Column 9 Lines 55-64);
 - d) A packing step of packing the metal component in a heat-resistant container filled with alumina powder (Column 7 Line 65 – Column 8 Line 9, taught as a known step prior to a diffusion treatment);
 - e) A diffusion treatment step of retaining the heat-resistant container at high temperature in an inert atmosphere to diffuse aluminum onto the surface of the metal component (Column 9 Lines 64-65); and
 - f) A cleaning step of taking out the metal component from the heat resistant container (It is known in the art to take the treated part out of the pack diffusion container when the pack diffusion is complete).

Art Unit: 1792

g) '780 is silent as to the following limitations:

 The slurry of b) above does not contain a halide activator, a water soluble organic binder, and powder of an aluminum-containing intermetallic compound (though it does contain an aluminum source).

- The cleaning step does not include removing a slag from the surface of the metal component.
- h) '765 teaches that an aluminide coating can be added to a surface using
 particulate aluminum, an inert ceramic particulate, a halide activator and an
 aqueous base dispersant including a water soluble organic binder ('765 Column
 2 Lines 25-29 and Column 4 Lines 17-21).
- i) Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have combined the method of '780 with the composition of '765 because '780 wants to deposit an aluminide coating and '765 teaches a composition capable of doing such.
- Neither '780 nor '765 explicitly teach an aluminum-containing intermetallic compound.
- k) '920 teaches the use of titanium-aluminum alloys in the course of providing an aluminide coating to a surface ('920 Column 2 Lines 50-56). TiAl₃ is a known alloy of this type.
- The selection of a known material based on its suitability for its intended use has been shown to support a *prima facie* obviousness determination. *Sinclair & Carroll Co. v. Interchemical Corp.*, 325 U.S. 327, 65 USPQ 297 (1945).

Art Unit: 1792

m) '920 further teaches removing particulate matter from the surface of the part after it is removed from the protective overwrap provided during the heat treatment ('920 Column 6 Lines 43-50). This removal is performed with air or water and is performed to prepare the part for further processing.

- 6) Claim 2 is rejected on the same grounds as Claim 1, as the suitability of titanium-aluminum alloys is known in the art for the intended purpose and selection of a known material based on its suitability for its intended use has been shown to support a prima facie obviousness determination. Sinclair & Carroll Co. v. Interchemical Corp., 325 U.S. 327, 65 USPQ 297 (1945).
- 7) With regard to Claim 3, '780/'765/'920 teaches a local application method of diffusion aluminide coating according to claim 2, wherein:
 - a) The coating slurry is prepared using AIF₃ as the halide generator ('765 Column 2 Line 67 - Column 3 Line 4), and
 - b) Mixing the coating source and the activator at a weight ratio of 93 to 97 : 3 to 7 ('765 Column 4 Lines 17-21, wherein the ratio of 0.1% 10% aluminum source and 0.1% 10% halide activator gives all ratios from 1:100 to 100:1, which encompasses the claimed range)
 - c) While using the water soluble organic binder ('765 Column 4 Lines 17-21).
- 8) With regard to Claim 4, '780/'765/'920 teaches: A method for local application of diffusion aluminide coating according to claim 1, wherein:
 - a) In the applying/drying step, the applying and the drying are repeated alternately ('765 Column 5 Lines 39 – 54 and Column 6 Lines 28 – 61).

Art Unit: 1792

b) '780/'765/'920 are silent as to the final thickness of the slurry. However, the thickness of the slurry is a result-effective variable with regard to the degree of aluminiding that occurs (the thickness of the slurry determines the amount of aluminide available to diffuse into the substrate).

- c) '780/'765/920 discloses the claimed invention except for the final thickness of the slurry before the diffusion step. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have adjusted this value based on the desired final thickness of coating, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).
- 9) With regard to Claim 5, '780/'765/'920 teaches: A method for local application of diffusion aluminide coating according to claim 1, wherein:
 - a) In the diffusion treatment step, the heat-resistant container is retained at 1900 to 2000°F (about 1038 to 1094°C) for about 2 to 9 hours ('765 Column 2 Lines 38 – 41, teaching a range which encompasses the claimed temperature and overlaps the claimed range).
- 10)With regard to Claim 6, '780/'765/'920 teaches: A method for local application of diffusion aluminide coating according to claim 1, wherein:
 - a) The metal component is a blade, vane, shroud or combustor of a gas turbine ('780 Column 3 Lines 7-10 teaches a jet engine blade, vane and combustor liner).

Art Unit: 1792

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL G. MILLER whose telephone number is (571)270-1861. The examiner can normally be reached on M-F 7-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Meeks can be reached on (571) 272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MGM

/Michael G. Miller/ Examiner, Art Unit 1792